













BRANDING MOVIE
on YouTube







Message from the President

Our history began when our founder, Sueichiro Igarashi, then factory manager at a pincers maker, resolved "never to make the same tools as my mentor" and started producing pliers, which were not yet made in Japan at the time.

Since our founding in 1940, our tools, made with an unwavering commitment to Japanese manufacturing, were quickly adopted as vehicle on-board tools. Even before Japan's era of rapid economic growth, they earned high acclaim from customers at home and abroad, firmly establishing our place in the industry.

This is because, for more than 80 years, IPS PLIERS has consistently and sincerely pursued the "high-quality Japanese craftsmanship" that customers and society expect, dedicating ourselves to "making products of the highest quality, with no compromise even in the parts you cannot see."

In today's fast-changing, ever more convenient world, the richness that people inherently possess is being sought once again. We will keep pursuing the essence of craftsmanship, which is born not from straining but from enjoying the work, and continue to enrich the world with MADE IN JAPAN pliers.

With the pride and responsibility of Japan's only dedicated pliers manufacturer, we will keep contributing to society by creating new value that only we can offer and through high-quality products.

We, IPS PLIERS, "never make the same tools as others" — "leaving truly good things for the children of the future."

President

Uchiyama Kengo

Corporate Philosophy

We contribute to society by creating new value and high-quality products.

IPS philosophy

The people who will thrive are those with a philosophy —
not those judged by grades or scores,
but those with an honest heart that can feel and say what is good and what is not,
and who, before any job, do the right things as a matter of course.

The products that will survive are genuine products —
things of substance whose value is always handed down,
never left behind, however quickly the times change. The real thing.

To get there, we must stay uncompromising even in the parts no one sees,
right down to the story behind them.

We must never lose sight of the essence of things.

Progress is born only from constantly challenging the status quo.

HISTORY

- 1940** Founded as Igarashi Seisakusho in Sanjo, Niigata
- 1958** Incorporated as Igarashi Seisakusho Ltd.
- 1962** Reorganized as Igarashi Pliers Seisakusho Co., Ltd.
New factory in the city; equipment modernized for higher output
- 1972** Met U.S. Federal Specifications
- 1978** Began supplying the U.S. GSA
- 1983** Moved to a newly built factory (current HQ and plant); automation introduced
Renamed Igarashi Pliers Co., Ltd.
- 1988** "Soft Touch Series" wins the Bronze Prize at the Japan DIY Show
New Product Idea Contest
- 2008** Certified to the new JIS standard
- 2014** Automatic grinders and robotic grinding introduced for
- 2018** pliers and water pump pliers to improve production efficiency
- 2020** 80th anniversary
- 2022** More multi-function machines and robots added for efficiency
Renamed IPS PLIERS Co., Ltd.
- 2023** Soft Touch Neo (NH-165, NWH-175) wins the Good Design Award



IPS QUALITY

A production system built for quality and precision

Like pincers and cutters, pliers are multi-function tools made of two halves, but their production process is completely different. While pincers and cutters are joined partway through manufacturing, the two halves of pliers are ground and machined separately and only come together at final assembly, after plating or other anti-rust treatment. To take an extreme example: a right half made a year ago and a left half made today fit together perfectly after surface treatment. That is the production system we have built.

Quality born from sparing no time or effort

As Japan's only dedicated pliers manufacturer, we have a duty to keep making quality products, taking responsibility for every single piece. Because we truly care about our customers, we never make cheap, low-quality goods. We are committed to Made in Japan and spare no effort. Only products that pass repeated inspections reach your hands.

The finest materials, perfect heat treatment

No production system, however precise, can make good pliers from poor material. We select the finest steel from among many suppliers and apply perfectly uniform heat treatment, taking care even where you cannot see. With meticulous skill and in-house standards far stricter than JIS, we produce pliers of the highest quality. Even more important are the downstream processes that draw out 120% of a good material's potential.

Kind to customers and the environment

Most of our products come in blister-free packaging that lets customers hold and try the tool in the store. We believe it is wrong that tools — an extension of the user's hand — are stapled shut for theft prevention so customers cannot touch them. We want you to grip the tool, check it and buy it only once you are satisfied. This reflects our confidence in our craftsmanship. We will keep offering packaging that respects both customers and the environment.

In fact, they're all pliers.

The proper name for our pliers is "Slip joint pliers"

In Japan, "pliers" usually means only one kind of tool, but in English-speaking countries the word covers every gripping tool, including linesman's pliers and cutters. Slip joint pliers have a sliding pivot, making them extremely versatile tools that can grip anything from small to large objects. In 1988 we developed the "Soft Touch Series", an entirely new idea: tools that "grip and turn without leaving marks", securing our position as a Japanese pliers manufacturer.

Combination pliers

Distinguished by a gourd-shaped slip joint

Pliers with a two-position jaw opening, distinguished by a gourd-shaped slip joint. True to the name "combination", they offer three functions: holding with the tips, gripping with the middle of the jaws, and cutting soft steel wire with the cutter near the joint.

Water pump pliers

Jaw opening adjusts in 3+ positions to grip larger objects

Pliers with the jaws angled at 30–40°, originally developed for fitting and removing car radiator hoses. Also used for repairs in tight spaces, such as water and gas pipes. The long handles give a powerful grip, even on large, thick objects.



A groundbreaking evolution of the "Soft Touch Series" since the 1980s




The latest Soft Touch, born from the requests of aircraft mechanics. The special resin tips grip firmly without slipping or scratching. Ergonomic design fits the hand; the spring makes work easy, and releasing it allows neat storage.




ONLINE SHOP

Newly developed special resin grips firmly without scratching
Outstanding grip even on slippery tapered parts



Even on slippery tapered parts

For 25A decorative pipe



For 13A decorative pipe

For small connectors



Tool-free, easy-change resin jaws

(tip thickness 4mm)

Cutter (soft wire up to approx. φ2.0)

SOFTTOUCH Neo

Water-resistant!
Cationic E-coating
approx. 10x more durable
than nickel-chrome plating

Spare
resin jaws
included

Opening 2 steps
Max. 20mm
30% lighter

Flat on both sides
Flat design works on flat surfaces
and is agile in tight spaces!

Usable with resin jaws removed

Comfortable PVC coating

NPH-165

Opening 5 steps
Max. 48mm
30% lighter


48mm max.

Compact, yet
wide opening

Usable with resin jaws removed

Flat-blade
screwdriver end

NWH-190D



Item No.	Length (A)	Head thick. (B)	Head length (C)	Handle width (D)	Weight (g)	Pipe O.D.	Cut. cap. soft iron	Box/ Carton	JAN	Spare resin
NPH-165	168	12	40.5	40	125	3.5~20	φ2.0	6/60	4953880244506	No.001
NWH-190D	196	12	46	33	175	3.5~48	φ2.0	6/60	4953880246500	No.002

Replacement parts (sold separately)				
Item No.	Material	Box/ Carton	JAN	For models
No.001	Special resin	6/60	4953880230011	NPH-165/NH-165
No.002	Special resin	6/60	4953880230028	NWH-190D/NWH-175

Resin jaws

Utility Model No. 3241567


Tool-free, easy-change resin jaws

No.001

No.002

NPH-165 / NH-165
spare resin

Spare resin for
NWH-190D/NWH-175



For small connectors



For 25A decorative pipe

Combination

Water pump



Resin jaws
Securely catches small parts.



Cutter
Cutter for wire,
nails, etc.
(soft wire up to approx. φ2.0)



Strap hole
Strap hole to
prevent dropping.



Cutter
Cutter for wire,
nails, etc.
(soft wire up to approx. φ2.0)

Utility Model No. 3215839

Water-resistant!
Cationic E-coating
approx. 10x more durable
than nickel-chrome plating

Spare
resin jaws
included

Spring
& release
mechanism

Opening 3 steps
Max. 30mm
Max. opening
= 30%
wider

spring drive & release mechanism

Spring ON
Center hole:
spring released

Usable with resin jaws removed

Trigger grip

Comfortable PVC coating

NH-165

Opening 4 steps
Max. 38mm

Spring drive & release mechanism

1st hole:
spring released

2nd hole onward:
spring ON for
repetitive work

Usable with resin jaws removed


Safety stopper

Strap hole

Trigger grip

Comfortable PVC coating

NWH-175



Item No.	Length (A)	Head thick. (B)	Head length (C)	Handle width (D)	Weight (g)	Pipe O.D.	Cut. cap. soft iron	Box/ Carton	JAN	Spare resin
NH-165	170	12	47.5	43	175	3.5~30	φ2.0	6/60	4953880232503	No.001
NWH-175	175	12	54	35	252	6~38	—	6/60	4953880236501	No.002

Replacement parts (sold separately)				
Item No.	Material	Box/ Carton	JAN	For models
No.001	Special resin	6/60	4953880230011	NPH-165/NH-165
No.002	Special resin	6/60	4953880230028	NWH-190D/NWH-175

Resin jaws

Utility Model No. 3241567


Tool-free, easy-change resin jaws

No.001

No.002

NPH-165 / NH-165
spare resin

Spare resin for
NWH-190D/NWH-175




Even on slippery tapered parts



For 13A decorative pipe

Combination

Water pump



Wider opening
Max. opening approx. 30% wider.
(vs. our previous model)



Cutter
Cutter for wire,
nails, etc.
(soft wire up to approx. φ2.0)



Vertical stroke
design
Vertical angle
at every opening
for a firm grip.



Wide opening
Compact, yet opens wide.
(vs. our previous model)

The best choice when you can't afford a scratch
Many shapes for household jobs and hobbies

SOFT TOUCH series

Soft Touch Series

"Grip firmly, without scratching what you grip." Born from users' voices, these classic pliers have been loved for many years. A wide range including Slim and Petit — great for repairs, assembly, hobbies and even cooking, such as cracking ginkgo nuts.



YouTube




ONLINE SHOP

Soft Touch Combi

Design Reg. No. 828307

Water-resistant!
Cationic E-coating
(approx. 10x more durable
than nickel-chrome plating)

Spare
resin jaws
included



PH-165

Opening
2 steps
Max.
20mm

PH-200

Opening
2 steps
Max.
25mm



Comfortable,
non-slip
PVC coating



Maintenance work



Small items & accessories.



Cutter


Cuts soft wire up to approx. $\phi 2.6$ (PH-200)
and $\phi 2.0$ (PH-165).

Soft Touch Slim

Design Reg. No. 828307

Water-resistant!
Cationic E-coating
(approx. 10x more durable
than nickel-chrome plating)

Spare
resin jaws
included



Opening
2 steps
Max.
20mm

SH-165S



Two-position jaw opening to suit
the size of the object
Serrated jaws for a firm grip and a
wire cutter for wire and nails

Item No.	Length (A)	Head thick. (B)	Head length (C)	Handle width (D)	Weight (g)	Pipe O.D.	Cut. cap. soft iron	Box/ Carton	JAN	Spare resin
SH-165S	174	4	56	42	165	2~20	$\phi 2.0$	6/60	4953880513138	No.351

Replacement parts (sold separately)


Item No.	Material	Box/ Carton	JAN	For models
No.351	Nylon resin	5/50	4953880491238	SH-165S

Soft Touch Petit

Utility Model No. 3210832

Water-resistant!
Cationic E-coating
(approx. 10x more durable
than nickel-chrome plating)

Spare
resin jaws
included



Opening
2 steps
Max.
18mm

SHP-135



Handle shape reduces
fatigue in long jobs

Item No.	Length (A)	Head thick. (B)	Head length (C)	Handle width (D)	Weight (g)	Pipe O.D.	Cut. cap. soft iron	Box/ Carton	JAN	Spare resin
SHP-135	140	2.5	42	38	85	1.5~18	—	6/60	4953880501005	No.52

Replacement parts (sold separately)

Item No.	Material	Box/ Carton	JAN	For models
No.52	DURACON® resin	5/50	4953880491146	SHP-135

DURACON® is a registered trademark of Polyplastics Co., Ltd. in Japan and other countries.

Customer feedback made real


"I want to hold small parts without scratching them." "I want a Soft Touch for finer work." These were the most common requests in our customer survey cards.



Wire crafts
and more



Assembling models,
RC cars, etc.




Repairing glasses,
watches, cameras



Fishing rigs

Two interchangeable resin jaw types



Change with a Phillips screwdriver

For accessory making, hobbies and crafts
Smaller than the Soft Touch Slim, ideal for fine work.
Great for children's craft projects too.



Light 85g



Compact 135mm

Soft Touch Wide


Design Reg. No. 828308

Water-resistant!
Cationic E-coating
(approx. 10x more durable
than nickel-chrome plating)

Built-in
spring

Spare
resin jaws
included

Elastic
urethane resin
More uses
than ever



Item No.	Length (A)	Head thick. (B)	Head length (C)	Handle width (D)	Weight (g)	Pipe O.D.	Cut. cap. soft iron	Box/ Carton	JAN	Spare resin
WL-220S	225	15	72	45	390	25~70	—	6/36	4953880241116	Round No.49 Square No.50
WL-270S	282	15	72	45	430	25~70	—	6/36	4953880491108	Round No.49 Square No.50

Replacement parts (sold separately)

Item No.	Material	Box/ Carton	JAN	For models
No.49 (round)	Urethane resin	6/60	4953880491122	WL-220S/WL-270S
No.50 (square)	Urethane resin	6/60	4953880491115	WL-220S/WL-270S

Supplied with round jaws fitted; square spares are on the back of the card.



Replaceable urethane resin that resists scratching.



8-position opening fits the object perfectly.



Built-in spring for fast repetitive work.



Square replacement spares.

Handles jobs you could never grip before
Swap the jaws to match the shape for a secure grip




With square jaws fitted, grips large plastic nuts securely.



Door knobs.



Round (No.49)



Change with a Phillips screwdriver



Square (No.50)


Interchangeable jaws
Curves Round Square
Nuts etc.
Swap to suit the job

Soft Touch Water

Design Reg. No. 828308

Water-resistant!
Cationic E-coating
(approx. 10x more durable
than nickel-chrome plating)

Spare
resin jaws
included



Item No.	Length (A)	Head thick. (B)	Head length (C)	Handle width (D)	Weight (g)	Pipe O.D.	Cut. cap. soft iron	Box/ Carton	JAN	Spare resin
WH-250	255	12	48	37	340	7~47	—	6/60	4953880431104	No.248
WH-250S	255	12	53	36	335	7~46	—	6/60	4953880451102	No.248
WH-250D	254	12	48	33	330	7~47	—	6/60	4953880441103	No.248

Replacement parts (sold separately)

Item No.	Material	Box/ Carton	JAN	For models
No.248	DURACON® resin	5/50	4953880481208	WH-250 / WH-250S / WH-250D

DURACON® is a registered trademark of Polyplastics Co., Ltd. in Japan and other countries.

From plumbing work to home DIY!



Fixing leaky taps, etc.



Motorcycle maintenance.



Assembling models.



8-position opening fits the object perfectly. (WH-250S)



Built-in spring for fast repetitive work. (WH-250S)



Comfortable PVC coating. (WH-250 / WH-250S)



Flat-blade screwdriver grip end. (WH-250D)

Grip! Hold! Turn! Cut!

The essential work tool!

SLIP JOINT PLIERS series

Combination Pliers Series

Truly "THE PLIERS" — the classic everyone should own. Choose from the knurled model with machined handles, favored by pros who value feel, comfortable PVC-coated grips, or spring-loaded types for easy repetitive work.



YouTube



ONLINE SHOP

Combination Pliers Knurled Model

Non-slip with water or oil

Knurled handles

Opening
2 steps
Max.
20mm



PL-150

Opening
2 steps
Max.
25mm




PL-200

Opening
2 steps
Max.
30mm



PL-250



Item No.	Length (A)	Head thick. (B)	Head length (C)	Handle width (D)	Weight (g)	Pipe O.D.	Cut. cap. soft iron	Box/ Carton	JAN
PL-150	165	9.3	41.5	40	165	5~20	φ2.0	6/60	4953880132124
PL-200	203	11	46	44	270	6~25	φ2.6	6/60	4953880142123
PL-250	249	11.5	58	51	370	9.5~30	φ3.2	6/60	4953880152122



Ideal tooth profile grips pipes, hex nuts and plates.



Knurled model resists slipping with water or oil.



Cutter for wire, nails, etc.
(Soft wire up to approx. φ2.6. Not for piano wire, stranded or very thin wire.)

For everything from home use to professional work



Maintenance.



Installation work.



General work.




Cutting wire.



Crimping taps.

Combination Pliers



Item No.	Length (A)	Head thick. (B)	Head length (C)	Handle width (D)	Weight (g)	Pipe O.D.	Cut. cap. soft iron	Box/ Carton	JAN
PL-135G	137	8	34	38	95	4.5~18	φ1.7	6/60	4953880121104
PL-150G	168	9.3	41.5	42	170	5~20	φ2.0	6/60	4953880131103
PL-200G	206	11	46	46	275	6~25	φ2.6	6/60	4953880141102
PL-250G	252	11.5	58	54	380	9.5~30	φ3.2	6/60	4953880151101

The basic gripping tool



Comfortable PVC coating.

From work sites to DIY and the kitchen



Installation work.



Carry tool for outdoor and touring.



Carry tool for motorcycles and bicycles.



Cutter for wire, nails, etc.




Machine maintenance.



A household essential.

Spring-loaded Combination Pliers



Item No.	Length (A)	Head thick. (B)	Head length (C)	Handle width (D)	Weight (g)	Pipe O.D.	Cut. cap. soft iron	Box/ Carton	JAN
PL-150S	165	9.3	41.5	40	165	5~20	φ2.0	6/60	4953880232107
PL-200S	203	11	46	44	270	6~25	φ2.6	6/60	4953880232121
PL-150SG	168	9.3	41.5	42	170	5~20	φ2.0	6/60	4953880132100
PL-200SG	206	11	46	46	275	6~25	φ2.6	6/60	4953880142109

The basic gripping tool



Handle types for every purpose

From work sites to DIY and the kitchen



Installation work.



Carry tool for outdoor and touring.



Carry tool for motorcycles and bicycles.



Cutter for wire, nails, etc.



Machine maintenance.



A household essential.

LIGHT PLIERS

Lighter, without sacrificing strength!
Less strain during long jobs

LIGHT PLIERS

Light Pliers



Over 20% lighter than our previous model with no loss of strength. The special asymmetric tooth profile grips objects securely, and the flat design on both sides is agile in tight spaces. Light weight and easy handling reduce fatigue.



YouTube



ONLINE SHOP

Light Pliers

Grips pipes, nuts and plates firmly

Diamond Shape Jaw




Opening
2 steps
Max.
20mm
25%
lighter

vs. our previous model



LPL-165


Comfortable,
non-slip
PVC coating



LPL-200

Opening
2 steps
Max.
25mm
20%
lighter


vs. our previous model



Item No.	Length (A)	Head thick. (B)	Head length (C)	Handle width (D)	Weight (g)	Pipe O.D.	Cut. cap. soft iron	Box/ Carton	JAN
LPL-165	168	8.5	41.5	39	130	6~20	φ2.0	6/60	4953880132308
LPL-200	203	10	46	45	200	7~25	φ2.6	6/60	4953880142307

Flat on both sides

Flat design with minimal protrusion of bolt and nut — agile in tight spaces!



Flat design grips easily even on flat surfaces

Diamond Shape Jaw

Diamond-shaped teeth grip pipes, nuts and plates firmly with little force!



Diamond-shaped teeth grip firmly!

Slim form and flat design for outstanding agility!



Car & farm machinery maintenance.

GOKUUSU PLIERS

Ultra-thin tip, perfect for gaps

Three-level teeth for a firm grip

Ultra-thin Pliers

GOKUUSU PLIERS

Ultra-thin Pliers



Ultra-thin pliers with a 2mm tip — 1/5 the thickness of our previous model. Available in straight and bent-nose types. Makes tricky work in tight spots, such as fitting casters or connecting cable connectors, far easier.



YouTube



ONLINE SHOP

Ultra-thin Pliers Straight / Bent Nose

Body made of premium
chrome vanadium steel
Fully oxidation-free
hardening: very durable

Ultra-thin
tip ≈ 2 mm
Straight type

Opening
2 steps
Max.
25 mm
Tip thickness
of previous
1/5

our product



TSH-190

Three-level teeth grip anything
from tiny screws to 25mm
screws and pipes

Comfortable,
non-slip
PVC coating

Ultra-thin
tip ≈ 2 mm
Bent nose type


Opening
2 steps
Max.
25 mm
Tip thickness
of previous
1/5

our product



BTS-190

20°




Item No.	Length (A)	Head thick. (B)	Head length (C)	Handle width (D)	Weight (g)	Pipe O.D.	Cut. cap. soft iron	Box/ Carton	JAN
TSH-190	193	2	51	42	250	4~25	$\phi 2.0$	6/60	4953880270109
BTS-190	193	2	52	42	250	4~25	$\phi 2.0$	6/60	4953880280108

2mm tip (1/5 of our previous model)

Grips screws and nuts in narrow gaps



Fitting & adjusting casters.



Connecting cable connectors.



Cutter cuts soft wire

Cutter for nails, wire, etc.
(Soft wire up to approx. $\phi 2.0$. Not for
piano wire, stranded or very thin wire.)

All-round pliers combining the best of
pliers and long-nose pliers

SAKIHOSO PLIERS

Slim-nose Pliers

Pliers

65 SPRING L



From car and motorcycle maintenance to craft hobbies — for pros and hobbyists alike. Special pliers that add a two-position opening and a spring for repetitive work to functional long-nose pliers. The slim tip makes work in tight spaces quick and efficient.



YouTube



ONLINE SHOP

Slim-nose Pliers Straight / Bent Nose

Patented built-in spring JAPAN.PAT US.PAT

Body made of premium
chrome vanadium steel
Fully oxidation-free
hardening: very durable

Ultra-thin
tip $\approx 2.3\text{mm}$
Straight type

Opening
2 steps
Max.
20mm



SB-165

Comfortable,
non-slip
PVC coating


Ultra-thin
tip $\approx 2.3\text{mm}$
Bent nose type

Opening
2 steps
Max.
20mm




SBB-165

30°



Item No.	Length (A)	Head thick. (B)	Head length (C)	Handle width (D)	Weight (g)	Pipe O.D.	Cut. cap. soft iron	Box/ Carton	JAN
SB-165	169	2.3	54	42	160	1.5~20	$\phi 2.0$	6/60	4953880512223
SBB-165	168	2.3	53	42	160	1.5~20	$\phi 2.0$	6/60	4953880513237



Slim, thin tip — ideal for tight
spaces and fine work.



Hobbies & crafts.



Unlike ordinary long-nose
pliers: 2-position opening!



Cutter for wire and nails.
(Soft wire up to approx. $\phi 2.0$. Not for
piano wire, stranded or very thin wire.)



Car & motorcycle maintenance.



Patented built-in spring,
ideal for repetitive work.

HYPER LONG PLIERS

Long reach! Powerful grip!
Highly rigid hyper pliers

HYPER LONG PLIERS

Hyper Long Pliers

A long type for work in places you can't reach. Made of chrome vanadium steel for a solid, dependable build. Choose the straight type or the bent-nose type to suit the job. With a cutter for soft wire.



YouTube



ONLINE SHOP

Hyper Long Pliers Straight / Bent Nose

Design Reg. No. 1370408

Body made of premium chrome vanadium steel
Fully oxidation-free hardening: very durable

Ultra-thin tip ≈ 3 mm
Straight type

Opening 2 steps
Max. 25mm

HLS-300

Comfortable, non-slip PVC coating

Two notches at the tip and large & small teeth greatly expand the range of uses


Ultra-thin tip ≈ 3 mm
Bent nose type

Opening 2 steps
Max. 25mm

Bent tip, ideal for work in tight spaces

HLB-300

26°



Item No.	Length (A)	Head thick. (B)	Head length (C)	Handle width (D)	Weight (g)	Pipe O.D.	Cut. cap. soft iron	Box/ Carton	JAN
HLS-300	295	3	80	50	360	3~25	$\phi 3.2$	6/60	4953880166235
HLB-300	293	3	78	50	360	3~25	$\phi 3.2$	6/60	4953880166228




Handle shape for a firm grip
Unlike long-nose pliers, the rigid handle resists twisting and flexing for a firm grip.




Cutter cuts soft wire
Cutter for wire, nails, etc.
(Soft wire up to approx. $\phi 3.2$. Not for piano wire, stranded or very thin wire.)

Made for tight spaces! A maintenance favorite



Car & farm machinery maintenance.



Hard-to-reach work.

Nimble little partners that slip into your pocket!
A "devilishly" multi-functional palm-size series!!

ELEC LITTLE DEVIL

Electrician's Little Devil

Water-resistant!
Cationic E-coating
approx. 10× more durable
than nickel-chrome plating

Opening
5 steps
Max.
43mm

Flat-blade screwdriver end

Legal to carry!

Under 150mm long, under 5mm wide:
an electrician's tool safe to carry.

Comfortable,
non-slip
PVC coating

Tighten or loosen small
screws without switching
tools

Strap hole to
prevent drops

LGR-145DG

Item No.	Length (A)	Head thick. (B)	Head length (C)	Handle width (D)	Weight (g)	Pipe O.D.	Cut. cap. soft iron	Box/ Carton	JAN
LGR-145DG	148	8	43.6	40	107	9~43	—	6/60	4953880253218

Grips hex bolts, nuts,
pipes and plates firmly.

Conduit connectors.

Waterproof knockout connectors.

Opening paint cans.

length
148
mm

Weight
107g

Compact & light
Easy to handle in tight spaces

MECHANICAL LITTLE DEVIL

Mechanic's Little Devil

Water-resistant!
Cationic E-coating
approx. 10× more durable
than nickel-chrome plating

Opening
4 steps
Max.
16mm

Grips hex bolts, nuts,
pipes and plates firmly.

Comfortable,
non-slip
PVC coating

Pocket
size!

Length
130
mm

So light!
Weight
70g

Compact & ultra-light
Easy to handle in tight spaces

MGR-125G

Item No.	Length (A)	Head thick. (B)	Head length (C)	Handle width (D)	Weight (g)	Pipe O.D.	Cut. cap. soft iron	Box/ Carton	JAN
MGR-125G	130	6	23.5	35	70	2~16	—	6/60	4953880251306

Diamond Vise

tip
Iris pattern

Black
oxide

Opening
2 steps
Max.
15mm

Grips round items!

Iris pattern

Resists side &
vertical slip

Opening
5 steps
Max.
45mm

30%
lighter

vs. our previous model

Iris pattern

Asymmetric shape
3point hold, firm grip

Comfortable,
non-slip
PVC coating

DVM-135

DVM-190DG

Maintenance.

General work.

Cotter pins & R-pins.

Repairing electro-tap wiring.

Item No.	Length (A)	Head thick. (B)	Head length (C)	Handle width (D)	Weight (g)	Pipe O.D.	Cut. cap. soft iron	Box/ Carton	JAN
DVM-135	135	5.5	40	45	130	3~15	φ1.5	6/60	4953880252006
DVM-190DG	193	9	46	33.5	160	6~48	φ2.0	6/60	4953880261008

SKETTY

Water-resistant!
Cationic E-coating
approx. 10× more durable
than nickel-chrome plating

Ideal tooth profile
for a firm bite

Cutter for nails,
wire, etc.

Opening
2 steps
Max.
18mm

Opening
2 steps
Max.
18mm

Comfortable,
non-slip
PVC coating

PLS-135R

PLS-135B

Sorting condiment containers.

Opening condiment containers.

Opening glue & paint tubes.

Item No.	Length (A)	Head thick. (B)	Head length (C)	Handle width (D)	Weight (g)	Pipe O.D.	Cut. cap. soft iron	Box/ Carton	JAN
PLS-135R	137	8	34	38	95	4.5~18	φ1.7	6/60	4953880123238
PLS-135B	137	8	34	38	95	4.5~18	φ1.7	6/60	4953880123436

WATER PUMP

Essential for plumbing, electrical and car maintenance
From pipework to household and DIY use

WATER PUMP PLIERS series

Water Pump Pliers Series



With a solid grip, an indispensable tool for plumbing, electrical work and car maintenance. Pliers every pro carries — and just as handy at home, from fixing leaky taps to opening stubborn jar lids.



YouTube



ONLINE SHOP

Multi Water




Special groove shape and half-moon pin increase the pivot contact area for a much stronger grip



Half-moon pin allows quick opening adjustment



The pivot pin is split by design to suit the product's features — this is not a defect.



Opening 9 steps
Max. 48mm



Opening 9 steps
Max. 48mm

Water-resistant! Cationic E-coating approx. 10x more durable than nickel-chrome plating

Comfortable, non-slip PVC coating


Scale marks for resuming work (marks are approximate)

Handles resist slipping with water or oil


MD-250G

MD-250

Screwdriver end, handy for taps



Item No.	Length (A)	Head thick. (B)	Head length (C)	Handle width (D)	Weight (g)	Pipe O.D.	Cut. cap. soft iron	Box/ Carton	JAN
MD-250G	254	10	48	34	330	7~48	—	6/60	4953880251207
MD-250	254	10	48	33	325	7~48	—	6/60	4953880241208



Special teeth cut at three pitches grip hex bolts, nuts, pipes and plates firmly.




Electrical & HVAC work.



Water, gas & air fittings.

Water Pump Pliers




Item No.	Length (A)	Head thick. (B)	Head length (C)	Handle width (D)	Weight (g)	Pipe O.D.	Cut. cap. soft iron	Box/ Carton	JAN
WD-250	254	10	48	33	325	7~47	—	6/60	4953880241109
WP-250	255	10	48	35	350	7~47	—	6/60	4953880221101

Spring-loaded Water Pump Pliers


Japan Pat. (Utility Model) 1969932

U.S. Patent 4669340

Built-in spring



Item No.	Length (A)	Head thick. (B)	Head length (C)	Handle width (D)	Weight (g)	Pipe O.D.	Cut. cap. soft iron	Box/ Carton	JAN
WP-250S	255	10	48	35	340	7~47	—	6/60	4953880262227
WS-250	254	10	53	37	330	6~46	—	6/60	4953880231100



Special teeth cut at three pitches grip hex bolts, nuts, pipes and plates firmly.




Fixing leaky taps, etc.



Plumbing & electrical work.



Plumbing & electrical work.



Special teeth cut at three pitches grip hex bolts, nuts, pipes and plates firmly.



A household essential.



Fixing leaky taps, etc.



Car & machine maintenance.

Grips hard and won't let go
The heavy-duty water pump

GROOVE JOINT PLIERS

Groove Joint Water Pump Pliers

Pliers built for a powerful grip. Our original tooth profile grips hex nuts, pipes and plates. Precision-cut grooves give a play-free bite. Five sizes with openings from 16 to 110mm to match what you grip.



YouTube



ONLINE SHOP

Groove Joint Water Pump Pliers



Our original tooth profile grips hex nuts, pipes and plates.



Precision-cut grooves give a play-free bite.

Powerful clamping from grooves and ridges



Fixing leaky taps, etc.



Car & machine maintenance.



Plumbing & electrical work.

Opening
4 steps
Max.
16mm



GR-125

Palm size for fine work and hobbies — great for outdoors and touring

Opening
5 steps
Max.
33mm



GR-190

Compact body, easy for smaller hands

Opening
5 steps
Max.
43mm



GR-250

Comfortable, non-slip PVC coating

Opening
6 steps
Max.
58mm




GR-300

Opening
11 steps
Max.
110mm



GR-400



Item No.	Length (A)	Head thick. (B)	Head length (C)	Handle width (D)	Weight (g)	Pipe O.D.	Cut. cap. soft iron	Box/ Carton	JAN
GR-125	130	6	23.5	35	75	2~16	—	6/60	4953880161100
GR-190	195	8	37	32	200	5~35	—	6/60	4953880181108
GR-250	257	9.5	46	39	375	6~45	—	6/60	4953880191107
GR-300	306	10.5	59	45	685	8~60	—	6/36	4953880201103
GR-400	416	13	73	53	1065	8~100	—	6/24	4953880211102

Spring-loaded Cationic Water Pump

Water-resistant!
Cationic E-coating
approx. 10x more durable
than nickel-chrome plating

Built-in spring




Scale marks for resuming work (marks are approximate)

Comfortable, non-slip PVC coating

Opening
6 steps
Max.
53mm

HWP-250S

6 grooves: opening 20% wider (previous model: 5 grooves)
Max. opening 53mm (equal to a 450mm adjustable wrench)



Item No.	Length (A)	Head thick. (B)	Head length (C)	Handle width (D)	Weight (g)	Pipe O.D.	Cut. cap. soft iron	Box/ Carton	JAN
HWP-250S	259	9.5	51.5	43	435	7~53	—	6/60	4953880553233



Plumbing, electrical work, housekeeping.



As a kitchen tool.



Fixing leaky taps, etc.

Special asymmetric teeth grip
round, square and flat objects!

LIGHT PLIERS WATER D

Light Pliers Water D



About 30% lighter than our previous model, reducing fatigue during long jobs and work at height. The special asymmetric teeth, ideal for gripping, firmly catch round, square and flat objects. The definitive light multi-purpose pliers.



YouTube



ONLINE SHOP

Light Pliers Water D Utility Model No. 3031846

Grips pipes, nuts
and plates firmly
**Diamond Shape
Jaw**



Opening
5 steps
Max.
45mm
30%
lighter

vs. our previous model

Opening
4 steps
Max.
38mm
30%
lighter

vs. our previous model

Opening
5 steps
Max.
50mm
30%
lighter

vs. our previous model




LWD-165



LWD-190



LWD-230



Item No.	Length (A)	Head thick. (B)	Head length (C)	Handle width (D)	Weight (g)	Pipe O.D.	Cut. cap. soft iron	Box/ Carton	JAN
LWD-165	170	9	43	32	140	6.5~40	φ2.0	6/60	4953880225000
LWD-190	193	9	46	33.5	160	6~48	φ2.0	6/60	4953880235009
LWD-230	235	9	51.5	35	200	8~50	φ2.6	6/60	4953880245008



For all kinds of equipment.



Ideal diamond-shaped teeth.



Accepts a drop-prevention strap!



Cutter for wire, nails, etc.



Wave handles fit the fingers and resist slipping.



Flat-blade screwdriver grip end.



Safety stopper protects your palm.

Lighter, yet grips hard! Amazing opening!
Less fatigue at height and in long jobs

LIGHT PLIERS MONSTER G

Light Pliers Monster G

Dramatically lighter than our previous model, reducing fatigue at height and in long jobs. Light to use, yet a monster-class grip: the asymmetric Diamond Shape Jaw holds objects firmly with little force.



YouTube



ONLINE SHOP

Light Pliers Monster G

Grips pipes, nuts and plates firmly
Diamond Shape Jaw



Opening 5 steps
Max. 42mm
15% lighter
vs. our previous model




LGR-200

Opening 5 steps
Max. 48mm
22% lighter
vs. our previous model




LGR-250

Opening 6 steps
Max. 63mm
35% lighter
vs. our previous model



LGR-300 opens up to 63mm



Item No.	Length (A)	Head thick. (B)	Head length (C)	Handle width (D)	Weight (g)	Pipe O.D.	Cut. cap. soft iron	Box/ Carton	JAN
LGR-200	202	8	48	34	165	9~43	—	6/60	4953880183225
LGR-250	251	8.7	55.5	38	280	10~48	—	6/60	4953880193224
LGR-300	310	10	69.5	45	450	11~65	—	6/36	4953880203220



Less weight on your tool belt.




Diamond Shape Jaw grips pipes, nuts and plates firmly.



Color plate makes your tool easy to identify.



Skeleton groove design: amazingly light with no loss of strength.



Waffle knurling resists slipping when wet or oily.



Accepts a drop-prevention strap!



Safety stopper protects your palm.

A strong ally for pipework
Grips thick pipes and large fittings firmly



For water and gas pipework. The opening adjusts in 5 steps from 19mm to 76mm (3/4" to 3") to handle thick PVC pipes, large MC unions and LA joints that ordinary water pump pliers cannot grip.




YouTube



ONLINE SHOP

■ Pipe Pliers



Item No.	Length (A)	Head thick. (B)	Head length (C)	Handle width (D)	Weight (g)	Pipe O.D.	Cut. cap. soft iron	Box/ Carton	JAN
PP-230	230	9.5	55	—	270	25~76	—	6/60	4953880572128
PP-230G	233	9.5	55	—	300	25~76	—	6/60	4953880572227
PP-230DS	233	9.5	55	—	295	25~76	—	6/60	4953880572326



Thick pipes.




Special round teeth grip round, hex and octagonal shapes.



5-step opening adjusts to what you grip.



Replacing water meters.



Large fittings (MC unions, LA joints).



Large nuts.

PP-230DS only: special features



Built-in spring for repetitive work



Screwdriver end for water meters and stop valves

LIGHT PLIERS

The first thin, lightweight
water pump pliers

LIGHT PLIERS BLADE MONSTER

Light Pliers Blade Monster

Thin water pump pliers with a precisely angled tip,
designed for hard-to-reach places and tight spots. The
vertical stroke design keeps the same jaw angle at every
opening for a secure hold. A handy cutter for wire and
nails is included.



YouTube





ONLINE SHOP

Light Pliers Blade Monster Straight / Bent Nose

Utility Model No. 3031846


Design Reg. No. 1590204



Item No.	Length (A)	Head thick. (B)	Head length (C)	Handle width (D)	Weight (g)	Pipe O.D.	Cut. cap. soft iron	Box/ Carton	JAN
SW-200	207	4	59	43	230	7~43	$\phi 2.0$	6/60	4953880570209
BW-200	207	4	59	43	230	7~43	$\phi 2.0$	6/60	4953880580208

Vertical stroke design

The jaws move in parallel, holding the object at the same angle at every opening.



Ultra-thin tip, ideal for hard-to-reach work!



Machines & hard-to-reach work.



Double-nut tightening.



Cutting wire, nails, etc.
(soft wire up to approx. $\phi 2.0$)

TOJI PLIERS

Trigger grip reduces strain on the user
Spring release for compact toolbox storage

TOJI PLIERS TRIGGER

TOJI Pliers Trigger



On spring-loaded pliers the handles open automatically, so they stay open even when not in use. Our new spring release mechanism lets you close them for compact storage.



YouTube



ONLINE SHOP

TOJI Pliers Trigger

Utility Model No. 3215839

Design Reg. No. 1626257

Spring & release mechanism

Opening 3 steps
Max. 30mm
Max. opening ≈30% wider



SF-165G



SF-200G

Opening 3 steps
Max. 35mm
Max. opening ≈20% wider

Opening 4 steps
Max. 40mm





SFW-175G



SFW-210G

Opening 5 steps
Max. 50mm

Comfortable, non-slip PVC coating



Item No.	Length (A)	Head thick. (B)	Head length (C)	Handle width (D)	Weight (g)	Pipe O.D.	Cut. cap. soft iron	Box/ Carton	JAN
SF-165G	169	8.9	64	43	165	7~30	φ2.0	6/60	4953880132407
SF-200G	204	8.9	47	45	240	7~35	φ2.6	6/60	4953880142406
SFW-175G	175	9.1	52.5	35	250	2~40	—	6/60	4953880236204
SFW-210G	215	9.1	55	37	300	2~50	—	6/60	4953880246203

TOJI Pliers Trigger Knurled Model

Non-slip with water or oil wave handles

Spring & release mechanism

Opening 3 steps
Max. 30mm
Max. opening ≈30% wider



SF-165



SF-200

Opening 3 steps
Max. 35mm
Max. opening ≈20% wider

Opening 4 steps
Max. 40mm





SFW-175



SFW-210

Opening 5 steps
Max. 50mm



Item No.	Length (A)	Head thick. (B)	Head length (C)	Handle width (D)	Weight (g)	Pipe O.D.	Cut. cap. soft iron	Box/ Carton	JAN
SF-165	166	8.9	46	40	145	7~30	φ2.0	6/60	4953880332401
SF-200	201	8.9	47	43	220	7~35	φ2.6	6/60	4953880342400
SFW-175	172	9.1	52.5	32	230	2~40	—	6/60	4953880336201
SFW-210	210	9.1	55	34	280	2~50	—	6/60	4953880346200

Combination



3-hole spring release
Spring ON in use for easy repetitive work.



Cutter
Cutter for wire, nails, etc.
(soft wire up to approx. φ2.0)



Trigger grip
Easy-grip shape reduces strain on the user.


Water pump



Vertical stroke design
Same jaw angle at every opening for a firm grip.



Safety stopper
Safety stopper protects your palm.



Trigger grip
Easy-grip shape reduces strain on the user.



Strap hole
Strap hole to prevent dropping.

ZEBRA COLOR series


The Zebra Color series now offers more standard sizes in "Black Color"!



ONLINE SHOP

Zebra Color Combination Pliers

Water-resistant!
Cationic E-coating
(approx. 10× more durable
than nickel-chrome plating)




Item No.	Length (A)	Head thick. (B)	Head length (C)	Handle width (D)	Weight (g)	Pipe O.D.	Cut. cap. soft iron	Box/ Carton	JAN
PL-150B	165	9.3	41.5	40	165	5~20	φ2.0	6/60	4953880254116
PL-200B	203	11	46	44	270	6~25	φ2.6	6/60	4953880143311
PL-200W	203	11	46	44	270	6~25	φ2.6	6/60	4953880143113
PL-150GB	168	9.3	41.5	42	170	5~20	φ2.0	6/60	4953880254123
PL-200GB	206	11	46	46	275	6~25	φ2.6	6/60	4953880254222



Zebra Color Water Pump Pliers

Water-resistant!
Cationic E-coating
(approx. 10× more durable
than nickel-chrome plating)



Item No.	Length (A)	Head thick. (B)	Head length (C)	Handle width (D)	Weight (g)	Pipe O.D.	Cut. cap. soft iron	Box/ Carton	JAN
WD-250B	254	10	48	33	325	7~47	—	6/60	4953880243813
WD-250W	254	10	48	33	325	7~47	—	6/60	4953880243516
WP-250B	255	10	48	35	350	7~47	—	6/60	4953880254512
WP-250SB	255	10	48	35	340	7~47	—	6/60	4953880254529



IPS Agri Series



Utility Model No. 3217588

Rollers help prevent damage to the film
The body pivots on the roller.
Less rubbing at contact points,
so the film is not damaged!

Fits packers
19 / 22 / 25mm
*Not for packers without
an insertion slot.

PK-190EX


No knack needed —
simple to use




Two rollers fit the pipe!!
They hold it to reduce
slipping — no wasted force,
easy work!



① Insert into the gap.



② Just push lightly.



Item No.	Length (A)	Head thick. (B)	Weight (g)	Box/ Carton	JAN
PK-190EX	214	4.8	110	6/60	4953880313257



Fits packers
19 / 22 / 25mm
*Not for packers without
an insertion slot.

PK-190


Insert into the gap
and push lightly!



Removing Vinipet®
springs.



Opening paint can lids.



Item No.	Length (A)	Head thick. (B)	Weight (g)	Box/ Carton	JAN
PK-190	196	6.5	115	6/60	4953880313233



Opening
3 steps
Max.
13mm



VP-135

Grip! Remove! Fast work with fingertip feel!!




Removes packers tool

Removing Vinipet® springs




① Grip the area shown,
taking care not to
pinch the film. ② Scoop the spring up
and pull it out of
the Vinipet®.


Removing packers



① Move the pivot
to open the jaws.



② Insert the tip into
the packer slot and
push the handle
like a nail
puller. ③ Once it lifts a little,
remove it easily
by hand.



Item No.	Length (A)	Head thick. (B)	Head length (C)	Handle width (D)	Weight (g)	Pipe O.D.	Box/ Carton	JAN
VP-135	136	5.5	17	40	65	2~13	6/60	4953880323232



SC-200

Handy for taking down and
putting up greenhouses!




Doubles your grip force to cut
wire with ease!!



Cutting Vinipet®!



Spring removal with the handle end.



Item No.	Length (A)	Head thick. (B)	Head length (C)	Handle width (D)	Weight (g)	Cut. cap. soft iron	Box/ Carton	JAN
SC-200	207	14	5	53	270	φ4.0	6/60	4953880943232

Ultra-precision Tweezers Series

Premium hobby tweezers, finished for tip precision and a soft, delicate touch



TW-2A
Ultra-precision Flat 120mm
Thin, flat tip, ideal for holding
thin items without
scratching them.



TW-05
Ultra-precision Straight Shape 110mm
Needle-like tip. The shaped
front end gives a clear
view of the work.



TW-SS
Ultra-precision Straight Long 140mm
Needle-like tip. Long and slim
for holding in narrow or
deep places.



TW-BE
Bead Accessory Tweezers 150mm
Cross pattern catches tiny beads
securely. Also ideal for holding
beads while cleaning their holes
with an awl.



TW-2A



TW-03



TW-05



TW-07



TW-SS



TW-PF



TW-BE



TW-03
Ultra-precision Straight 120mm
Needle-like tip. Standard type,
ideal for holding
tiny parts.



TW-07
Ultra-precision Angle 120mm
Needle-like tip. The curved
front gives a clear view of
the work and lets you rest
your palm on the bench
while working.



TW-PF
Paper Craft / Pressed Flower Tweezers 140mm
Rounded tip won't scratch what
you hold. Subtly angled tip
for smooth work.



Item No.	Length (A)	Weight (g)	Box/ Carton	JAN
TW-2A	120	17	12/120	4953880702129
TW-03	118	16	12/120	4953880712128
TW-05	120	13	12/120	4953880722127
TW-07	123	17	12/120	4953880732126
TW-SS	140	13	12/120	4953880742125
TW-PF	138	25	12/120	4953880752124
TW-BE	150	25	12/120	4953880762123

Craft Tool Easy everyday series



NP-115
Needle Pliers 115mm



NP-115
Needle Pliers 115mm
No serrations on jaws or tip,
so they won't scratch your work.



PNS-150G
Pro Needle Straight



PRP-145G
Pro Round Nose Pliers



PRP-145G
Pro Round Nose Pliers
Makes wire loops easier
and neater.



PNP-115G
Pro Needle Nose Pliers
Ultra-fine tip for precise bending
and cutting.
Cutting: soft iron $\phi 1.0$,
copper wire approx. $\phi 1.5$



PMP-115G
Pro Micro Pliers
Ultra-fine tip for precise bending
and cutting.
Cutting: soft iron $\phi 1.0$,
copper wire approx. $\phi 1.5$




PNS-150G
Pro Needle Straight
Ultra-fine tip for precision work
in tight spaces.



PNB-150G
Pro Needle Bent
Angled, ultra-fine tip.
Precision work in tight spaces.



PMN-115G
Pro Micro Cutter
Cuts wire and fishing line
easily and cleanly.
Cutting: soft iron $\phi 1.0$,
copper wire approx. $\phi 1.8$



PNB-150G
Pro Needle Bent



PMN-115G
Pro Micro Cutter
With
cutter



PNP-115G
Pro Needle Nose Pliers

With
cutter


Low marking
Smooth



PMP-115G
Pro Micro Pliers

With
cutter

Firm grip
Serrated



Item No.	Length (A)	Head thick. (B)	Head length (C)	Handle width (D)	Weight (g)	Cut. cap. soft iron	Cut. cap. copper	Box/ Carton	JAN
NP-115	123	7	10.5	50	45	—	—	6/60	4953880824326
PNS-150G	157	8	11.5	52	75	—	—	6/60	4953880253447
PNB-150G	153	8	11.5	52	75	—	—	6/60	4953880253454
PMN-115G	110	7.5	11	53	60	$\phi 1.0$	$\phi 1.8$	6/60	4953880253492
PRP-145G	150	8	16	49	85	—	—	6/60	4953880253485
PNP-115G	125	7.7	11.5	52	65	$\phi 1.0$	$\phi 1.5$	6/60	4953880253461
PMP-115G	125	7.7	11.5	52	65	$\phi 1.0$	$\phi 1.5$	6/60	4953880253478

Craft ism Genuine leather that grows on you with use



PNS-ism
Pro Needle Straight
Ultra-fine tip for precision work
in tight spaces.



PNB-ism
Pro Needle Bent
Angled, ultra-fine tip.
Precision work in tight spaces.



PMN-ism
Pro Micro Cutter
Cuts wire and fishing line
easily and cleanly.
Cutting: soft iron $\phi 1.0$,
copper wire approx. $\phi 1.8$



PNS-ism
Pro Needle Straight



PNB-ism
Pro Needle Bent



PRP-ism
Pro Round Nose Pliers



PRP-ism
Pro Round Nose Pliers
Makes wire loops easier
and neater.



PNP-ism
Pro Needle Nose Pliers
Ultra-fine tip for precise bending
and cutting.
Cutting: soft iron $\phi 1.0$,
copper wire approx. $\phi 1.5$



PMP-ism
Pro Micro Pliers
Ultra-fine tip for precise bending
and cutting.
Cutting: soft iron $\phi 1.0$,
copper wire approx. $\phi 1.5$



PMN-ism
Pro Micro Cutter

With
cutter



PNP-ism
Pro Needle Nose Pliers

With
cutter


Low marking
Smooth



PMP-ism
Pro Micro Pliers

With
cutter

Firm grip
Serrated



Item No.	Length (A)	Head thick. (B)	Head length (C)	Handle width (D)	Weight (g)	Cut. cap. soft iron	Cut. cap. copper	Box/ Carton	JAN
PNS-ism	157	8	11.5	52	60	—	—	6/60	4953880875328
PNB-ism	153	8	11.5	52	60	—	—	6/60	4953880875335
PMN-ism	110	7.5	11	53	60	$\phi 1.0$	$\phi 1.8$	6/60	4953880805325
PRP-ism	150	8	16	49	80	—	—	6/60	4953880865329
PNP-ism	125	7.7	11.5	52	57	$\phi 1.0$	$\phi 1.5$	6/60	4953880825323
PMP-ism	125	7.7	11.5	52	57	$\phi 1.0$	$\phi 1.5$	6/60	4953880815324

Campdrunk

SINCE 1940 by IPS

Special gear for camping beyond the everyday

Of the many camping gear items born in Japan,
few are specialized enough to be called true "tools".
Camping: escaping the everyday, surrounded by nature.

What suits such special time
is a special "MADE IN JAPAN" tool.

Uncompromising camp pliers from a maker that has
specialized in pliers for 80 years.

For your special moments.

No compromise on grip

Campdrunk is a camping brand combining
function and functional beauty, launched by
IPS PLIERS Co., Ltd., a maker devoted solely
to pliers for 80 years since its founding
in Tsubame-Sanjo, Niigata.

As a dedicated pliers maker, we pursue convenience
and comfort in camping, delivering items with
the refined feel your special time deserves,
made without compromise.

Campdrunk invites you to turn your camping
into time of unprecedented quality.

Latest news:
check!



ONLINE SHOP



Campdrunk Camp Pliers Black Leather



Holds objects in parallel up to 16mm!



Max. 16mm

Max. 33mm

Serrated jaws, and the space between them, perfected

Holds objects in parallel!! Pincers can't adjust their opening, so they can't hold wide objects securely. With one pair of pliers, you can firmly hold anything from thin to thick, whatever its shape.




Fits in your pocket for easy carrying!

The compact GR-125Cd is just 130mm long and weighs only 75g — half the weight of a smartphone. An ultra-portable tool that also serves for DIY or as an in-car tool.



Thoroughly calculated design

Fulcrum, effort and load points are precisely calculated. An ergonomic design that minimizes strain when gripping.



Genuine cowhide grips

While most tools have vinyl or plastic handles, these feature genuine cowhide grips that mold to your hand with use, becoming truly your own. Enjoy the patina only fine leather can develop — a must for anyone particular about their tools.




GR-125Cd



GR-190Cd

Opening
5 steps
Max.
33mm

Opening
4 steps
Max.
16mm



Item No.	Length (A)	Head thick. (B)	Head length (C)	Handle width (D)	Weight (g)	Pipe O.D.	Cut. cap. soft iron	Box/ Carton	JAN
GR-125Cd	130	6	23.5	35	75	2~16	—	6/60	4953880161209
GR-190Cd	195	8	37	32	200	5~35	—	6/60	4953880171222

Page	Item No.	Length	Head thick.	Head length	Thick.	Handle width	Weight	Open. steps	Max. opening	Pipe O.D.	Cut. cap. soft iron	Material	Finish		Hardness	Grip	Package size			Box/ Carton	JAN	Notes	Spare resin	Item No.	Page
																	W	H	Thick.						
14	NPH-165	168	12	40.5	14	40	125	2	20	3.5~20	2.0	Carbon steel	Cationic E-coat		HRC44~52	PVC	71	238	18	6/60	4953880244506	—	No.001	NPH-165	14
	NWH-190D	196	12	46	16	33	175	5	48	3.5~48	2.0	Carbon steel	Cationic E-coat		HRC44~52	PVC	71	266	18	6/60	4953880246500	—	No.002	NWH-190D	
15	NH-165	170	12	47.5	17	43	175	3	30	3.5~30	2.0	Carbon steel	Cationic E-coat		HRC44~52	PVC	71	255	33	6/60	4953880232503	Spring + release	No.001	NH-165	15
	NWH-175	175	12	54	19	35	252	4	38	6~38	—	Carbon steel	Cationic E-coat		HRC44~52	PVC	94	265	35	6/60	4953880236501	Spring + release	No.002	NWH-175	
17	PH-165	168	12	43	17	42	175	2	20	6~20	2.0	Carbon steel	Cationic E-coat		HRC44~52	PVC	71	210	17	6/60	4953880341106	—	No.246	PH-165	17
	PH-200	206	14	46.5	19	46	270	2	25	8~25	2.6	Carbon steel	Cationic E-coat		HRC44~52	PVC	71	243	19	6/60	4953880351105	—	No.247	PH-200	
	SH-165S	174	4	56	17	42	165	2	20	2~20	2.0	Cr-V steel	Cationic E-coat		HRC44~52	PVC	71	214	17	6/60	4953880513138	Spring	No.351	SH-165S	
18	SHP-135	140	2.5	42	13	38	85	2	18	1.5~18	—	Carbon steel	Cationic E-coat		HRC44~52	PVC	71	180	13	6/60	4953880501005	—	No.52	SHP-135	18
	WL-220S	225	15	72	18	45	390	8	70	25~70	—	Carbon steel	Cationic E-coat		HRC44~52	PVC	99	268	18	6/60	4953880241116	Spring	Round No.49 / Square No.50	WL-220S	
	WL-270S	282	15	72	18	45	430	8	70	25~70	—	Carbon steel	Cationic E-coat		HRC44~52	PVC	120	325	18	6/36	4953880491108	Spring	Round No.49 / Square No.50	WL-270S	
19	WH-250	255	12	48	18	37	340	5	47	7~47	—	Carbon steel	Cationic E-coat		HRC44~52	PVC	79	297	18	6/60	4953880431104	—	No.248	WH-250	19
	WH-250S	255	12	53	18	36	335	8	46	7~46	—	Carbon steel	Cationic E-coat		HRC44~52	PVC	115	300	18	6/60	4953880451102	Spring	No.248	WH-250S	
	WH-250D	254	12	48	18	33	330	5	47	7~47	—	Cr-V steel	Cationic E-coat		HRC44~52	—	79	295	18	6/60	4953880441103	—	No.248	WH-250D	
21	PL-150	165	9.3	41.5	17	40	165	2	20	5~20	2.0	Carbon steel	Ni-Cr		HRC44~52	—	71	205	17	6/60	4953880132124	—	—	PL-150	21
	PL-200	203	11	46	19	44	270	2	25	6~25	2.6	Carbon steel	Ni-Cr		HRC44~52	—	71	243	19	6/60	4953880142123	—	—	PL-200	
	PL-250	249	11.5	58	19	51	370	2	30	9.5~30	3.2	Carbon steel	Ni-Cr		HRC44~52	—	79	294	19	6/60	4953880152122	—	—	PL-250	
22	PL-135G	137	8	34	14	38	95	2	18	4.5~18	1.7	Carbon steel	Ni-Cr		HRC44~52	PVC	65	170	14	6/60	4953880121104	—	—	PL-135G	22
	PL-150G	168	9.3	41.5	17	42	170	2	20	5~20	2.0	Carbon steel	Ni-Cr		HRC44~52	PVC	71	210	17	6/60	4953880131103	—	—	PL-150G	
	PL-200G	206	11	46	19	46	275	2	25	6~25	2.6	Carbon steel	Ni-Cr		HRC44~52	PVC	71	245	19	6/60	4953880141102	—	—	PL-200G	
23	PL-250G	252	9.3	58	19	54	380	2	30	9.5~30	3.2	Carbon steel	Ni-Cr		HRC44~52	PVC	79	298	19	6/60	4953880151101	—	—	PL-250G	23
	PL-150S	165	9.3	41.5	17	40	165	2	20	5~20	2.0	Carbon steel	Ni-Cr		HRC44~52	—	71	217	17	6/60	4953880232107	Spring	—	PL-150S	
	PL-200S	203	11	46	19	44	270	2	25	6~25	2.6	Carbon steel	Ni-Cr		HRC44~52	—	71	250	19	6/60	4953880232121	Spring	—	PL-200S	
	PL-150SG	168	9.3	41.5	17	42	170	2	20	5~20	2.0	Carbon steel	Ni-Cr		HRC44~52	PVC	71	220	17	6/60	4953880132100	Spring	—	PL-150SG	
	PL-200SG	206	10	46	19	46	275	2	25	6~25	2.6	Carbon steel	Ni-Cr		HRC44~52	PVC	71	245	19	6/60	4953880142109	Spring	—	PL-200SG	
	LPL-165	168	8.5	41.5	14	39	130	2	20	6~20	2.0	Carbon steel	Ni-Cr		HRC44~52	PVC	71	210	14	6/60	4953880132308	—	—	LPL-165	
25	LPL-200	203	10	46	14	45	200	2	25	7~25	2.6	Carbon steel	Ni-Cr		HRC44~52	PVC	71	245	14	6/60	4953880142307	—	—	LPL-200	25
	THS-190	193	2	51	18	42	250	2	25	4~25	2.0	Cr-V steel	Ni-Cr		HRC44~52	PVC	71	235	18	6/60	4953880270109	—	—	THS-190	
27	BTS-190	193	2	52	18	42	250	2	25	4~25	2.0	Cr-V steel	Ni-Cr		HRC44~52	PVC	71	235	18	6/60	4953880280108	—	—	BTS-190	27
	SB-165	169	2.3	54	17	42	160	2	20	1.5~20	2.0	Cr-V steel	Ni-Cr		HRC44~52	PVC	74	195	17	6/60	4953880512223	Spring	—	SB-165	
29	SBB-165	168	2.3	53	25	42	160	2	20	1.5~20	2.0	Cr-V steel	Ni-Cr		HRC44~52	PVC	74	195	25	6/60	4953880513237	Spring	—	SBB-165	29
	HLS-300	295	3	80	19	50	360	2	25	3~25	3.2	Cr-V steel	Ni-Cr		HRC44~52	PVC	79	323	19	6/60	4953880166235	—	—	HLS-300	
31	HLB-300	293	3	78	25	50	360	2	25	3~25	3.2	Cr-V steel	Ni-Cr		HRC44~52	PVC	79	323	25	6/60	4953880166228	—	—	HLB-300	31
	LGR-145DG	148	8	43.6	14	40	107	5	43	9~43	—	Carbon steel	Cationic E-coat		HRC44~52	PVC	71	195	18	6/60	4953880253218	—	—	LGR-145DG	
32	MGR-125G	130	6	23.5	10	35	70	4	16	2~16	—	Carbon steel	Cationic E-coat		HRC44~52	PVC	69	175	14	6/60	4953880251306	—	—	MGR-125G	32
	DVM-135	135	5.5	40	13	45	130	2	15	3~15	1.5	Cr-Mo steel	Black oxide		HRC44~52	PVC	64	175	17	6/60	4953880252006	—	—	DVM-135	
33	DVM-190DG	193	9	46	17	33.5	160	5	45	6~48	2.0	Cr-V steel	Black oxide		HRC44~52	PVC	71	243	17	6/60	4953880261008	—	—	DVM-190DG	33
	PLS-135R	137	8	34	14	38	95	2	18	4.5~18	1.7	Carbon steel	Cationic E-coat		HRC44~52	PVC	65	179	14	6/60	4953880123238	—	—	PLS-135R	
	PLS-135B	137</																							

Page	Item No.	Length	Head thick.	Head length	Thick.	Handle width	Weight	Blade L	Tip T/W	Cut. cap. soft iron	Cut. cap. copper	Material	Body hardness		Blade hardness	Grip	Package size			Box/ Carton	JAN	Notes	Item No.	Page
																	W	H	Thick.					
54	NP-115	123	7	10.5	8.5	50	45	25	1.2/1.5	—	—	HRC43~47	HRC43~47		—	Leather	65	160	13	6/60	4953880824326	Spring	NP-115	54
	PNS-150G	157	8	11.5	9	52	75	—	1.2/1.8	—	—	HRC43~47	HRC43~47		—	PVC	85	182	14	6/60	4953880253447	Spring	PNS-150G	
	PNB-150G	153	8	11.5	9	52	75	—	1.2/1.8	—	—	HRC43~47	HRC43~47		—	PVC	85	182	14	6/60	4953880253454	Spring	PNB-150G	
	PMN-115G	110	7.5	11	9	53	60	10.3	—	1.0	1.8	HRC45~50	HRC45~50		HRC57~61	PVC	74	165	12	6/60	4953880253492	Spring	PMN-115G	
	PRP-145G	150	8	16	10	49	85	35	1.5/6.0	—	—	HRC43~47	HRC43~47		—	PVC	70	180	12	6/60	4953880253485	Spring	PRP-145G	
	PNP-115G	125	7.7	11.5	9	52	65	6	1.3/0.8	1.0	1.5	HRC43~47	HRC43~47		HRC55~59	PVC	74	165	12	6/60	4953880253461	Spring, smooth	PNP-115G	
	PMP-115G	125	7.7	11.5	9	52	65	6	1.5/0.8	1.0	1.5	HRC43~47	HRC43~47		HRC55~59	PVC	74	165	12	6/60	4953880253478	Spring, serrated	PMP-115G	
55	PNS-ism	157	8	11.5	9	52	60	—	1.2/1.8	—	—	HRC43~47	HRC43~47		—	Leather	85	195	15	6/60	4953880875328	Spring	PNS-ism	55
	PNB-ism	153	8	11.5	9	52	60	—	1.2/1.8	—	—	HRC43~47	HRC43~47		—	Leather	85	195	25	6/60	4953880875335	Spring	PNB-ism	
	PMN-ism	110	7.5	11	9	53	60	10.3	—	1.0	1.8	HRC45~50	HRC45~50		HRC57~61	Leather	75	165	13	6/60	4953880805325	Spring	PMN-ism	
	PRP-ism	150	8	16	10	49	80	35	1.5/6.0	—	—	HRC43~47	HRC43~47		—	Leather	75	185	13	6/60	4953880865329	Spring	PRP-ism	
	PNP-ism	125	7.7	11.5	9	52	57	6	1.3/0.8	1.0	1.5	HRC43~47	HRC43~47		HRC55~59	Leather	75	165	13	6/60	4953880825323	Spring, smooth	PNP-ism	
	PMP-ism	125	7.7	11.5	9	52	57	6	1.5/0.8	1.0	1.5	HRC43~47	HRC43~47		HRC55~59	Leather	75	165	13	6/60	4953880815324	Spring, serrated	PMP-ism	

Ultra-precision Tweezers Series

Page	Item No.	Length	Width	Weight	Tip T/W	Material	Package size			Box/ Carton	JAN
							W	H	Thick.		
53	TW-2A	120	10	17	1.2/3.3	Stainless steel	48	218	17	12/120	4953880702129
	TW-03	118	10.5	16	0.8/0.7	Stainless steel	48	218	17	12/120	4953880712128
	TW-05	120	10	13	0.8/0.5	Stainless steel	48	218	17	12/120	4953880722127
	TW-07	123	10	17	0.8/0.5	Stainless steel	48	218	17	12/120	4953880732126
	TW-SS	140	8.5	13	0.8/0.7	Stainless steel	48	218	17	12/120	4953880742125
	TW-PF	138	11	25	1.2/2.5	Stainless steel	48	218	17	12/120	4953880752124
	TW-BS	150	11	25	1.2/2.0	Stainless steel	48	218	17	12/120	4953880762123

Replacement Parts (Resin Jaws)

Page	Item No.	Material	Contents	Package size			Box/ Carton	JAN	For models
				W	H	Thick.			
14/15	No.001	Special resin	Resin jaws ×2 (1 set)	59	120	18	6/60	4953880230011	NPH-165 / NH-165
	No.002	Special resin	Resin jaws ×2 (1 set)	59	120	18	6/60	4953880230028	NWH-190D / NWH-175
19	No.246	DURACON® resin	Resin jaws ×4 (2 sets), screws ×2 (1 set)	59	120	8	5/50	4953880461200	PH-165
	No.247	DURACON® resin	Resin jaws ×4 (2 sets), screws ×2 (1 set)	59	120	8	5/50	4953880471209	PH-200
	No.351	Nylon resin	Resin jaws ×6 (3 sets), screws ×2 (1 set)	59	120	8	5/50	4953880491238	SH-165S
	No.52	DURACON® resin	Pointed ×2, flat ×2, screws ×2 (1 set each)	59	120	8	5/50	4953880491146	SHP-135
20	No.49	Urethane resin	Resin jaws ×2 (1 set), screws ×2 (1 set)	59	120	18	6/60	4953880491122	WL-220S / WL-270S
	No.50	Urethane resin	Resin jaws ×2 (1 set), screws ×2 (1 set)	59	120	18	6/60	4953880491115	WL-220S / WL-270S
21	No.248	DURACON® resin	Resin jaws ×4 (2 sets), screws ×2 (1 set)	59	120	8	5/50	4953880481208	WH-250/ WH-250S/ WH-250D

DURACON® is a registered trademark of Polyplastics Co., Ltd. in Japan and other countries.



ONLINE SHOP

Check the latest news on our
manufacturer-run online shop!
New products first, limited
goods and special prices
for members!

IPS SHOP

Free repair service for
IPS® products now available!



Instagram
ipspliers_international



LINE



Follow us
on social media

YouTube
@ipspliersips1940



Facebook



IPS PLIERS Co., Ltd.

1-4-3 Sakai-machi, Mitsuke-shi,
Niigata 954-0104, Japan

TEL 0258-66-5445
FAX 0258-66-5586
URL <https://www.ips-tool.co.jp>
MAIL info@ips-tool.co.jp

